

Revision Date 28-Nov-2018

# SAFETY DATA SHEET

Version 7

## **1. IDENTIFICATION**

Product identifier Product Name	COPPER ANTI-SEIZE LUBRICANT 16 OZ.			
Other means of identification Product Code	31163			
Recommended use of the chemical Recommended Use Uses advised against				
Details of the supplier of the safety data sheetMay Also Be Distributed by:ITW PermatexITW Permatex Canada6875 Parkland Blvd.101-2360 Bristol CircleSolon, Ohio 44139 USA0akville, ON Canada L6H 6M5Telephone: 1-87-PermatexTelephone: (800) 924-6994(866) 732-950224-hour emergency phone numberChem-Tel: 800-255-3924International Emergency:00+1+ 813-248-0585Contract Number: MIS0003453				
E-mail address: mail@permatex.com 2. HAZARDS IDENTIFICATION				
Classification				
<b>OSHA Regulatory Status</b> This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)				

## Label elements

**Emergency Overview** 

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Copper

Physical state Paste

Odor Petroleum

# Precautionary Statements - Storage Store in a well-ventilated place

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

- Note L: The classification as a carcinogen 1 does not apply. The substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I

Unknown acute toxicity

27.5 % of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance(s)

The product contains no substances which at their given concentration, are considered to be hazardous to health.

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice	Get medical advice/attention if you feel unwell.		
Eye contact	IF IN EYES:. Wash with plenty of water.		
Skin contact	IF ON SKIN:. Wash with soap and water.		
Inhalation	IF INHALED. Remove to fresh air.		
Ingestion	IF SWALLOWED:. Do NOT induce vomiting.		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.		
Most important symptoms and effects, both acute and delayed			
Symptoms	See section 2 for more information.		

## Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media None

#### <u>Specific hazards arising from the chemical</u> None in particular.

Explosion dataSensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

	quipment and emergency procedures		
Personal precautions	Avoid contact with eyes and skin. Wash thoroughly after handling.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Avoid contact with skin and eyes.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep in a dry, cool and well-ventilated place.		
Incompatible materials	Strong oxidizing agents, Acids, Alkalis		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION			
Control parameters			
Exposure Guidelines NIOSH IDLH Immediately Dangerous to Life or Health			
	s to Life or Health		
	s <i>to Life or Health</i> Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).		
NOSH IDLH Immediately Dangerou	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962		
NIOSH IDLH Immediately Dangerou	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962		
NIOSH IDLH Immediately Dangerou Other Information <u>Appropriate engineering controls</u> Engineering Controls	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). Showers Eyewash stations		
NIOSH IDLH Immediately Dangerou Other Information <u>Appropriate engineering controls</u> Engineering Controls	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). Showers Eyewash stations Ventilation systems		
NIOSH IDLH Immediately Dangerou Other Information Appropriate engineering controls Engineering Controls Individual protection measures, su	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). Showers Eyewash stations Ventilation systems		
NIOSH IDLH Immediately Dangerou Other Information Appropriate engineering controls Engineering Controls Individual protection measures, su Eye/face protection	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). Showers Eyewash stations Ventilation systems <b>ch as personal protective equipment</b> Wear safety glasses with side shields (or goggles).		
NIOSH IDLH Immediately Dangerou Other Information Appropriate engineering controls Engineering Controls Individual protection measures, su Eye/face protection Skin and body protection	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). Showers Eyewash stations Ventilation systems <b>ch as personal protective equipment</b> Wear safety glasses with side shields (or goggles). Wear protective natural rubber, nitrile rubber, Neoprene <sup>™</sup> or PVC gloves. Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as		

9.1. Information on basic physical and chemical propertiesPhysical statePaste

Appearance Odor Odor threshold	Copper Petroleum No information available	
Property pH Melting point / freezing point Boiling point / boiling range	<u>Values</u> No information available No information available No information available	<u>Remarks • Method</u>
Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	216 °C / 421 °F No information available No information available	Butyl acetate = 1
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	No information available No information available No information available No information available	Air = 1
Relative density Water solubility Solubility(ies)	1.21 Insoluble in water No information available	, ui = 1
Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	No information available No information available No information available No information available	
Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available No information available	
Other Information Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available 0 No information available No information available	

## **10. STABILITY AND REACTIVITY**

## <u>Reactivity</u> No information available

## Chemical stability

Stable under normal conditions

# Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid Excessive heat.

Incompatible materials Strong oxidizing agents, Acids, Alkalis

### Hazardous Decomposition Products Carbon oxides Metal oxides

Metal oxides Halogenated compounds

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation

May cause irritation of respiratory tract.

Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.			
Skin contact	May cause skin irritation and/or dermatitis.			
Ingestion	Ingestion may cause irritation to mucous membranes.			
Information on toxicological effects	<u>s</u>			
Symptoms	No information available.			
Delayed and immediate effects as v	vell as chronic effects from short and long-term exposure			
Sensitization Germ cell mutagenicityNo information available. No information available.CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinogen.ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Not classifiable as a human carcinogen Not classifiable as a human carcinogen NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - PresentMay cause adverse liver effects.Chronic toxicityMay cause adverse liver effects.				
Target Organ Effects         Central Vascular System (CVS), Eyes, kidney, Liver, Respiratory system, Skin.				
The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 16277 mg/kg				
12. ECOLOGICAL INFORMATION				
Ecotoxicity				
9.5 % of the mixture consists of component(s) of unknown hazards to the aquatic environment				
Persistence and degradability				

No information available.

## **Bioaccumulation**

No information available.

## **Mobility**

No information available.

## Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

## **14. TRANSPORT INFORMATION**

## DOT

Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

## **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Not determined
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
COPPER - 7440-50-8	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

## US State Regulations

## California Proposition 65

This product is not known to contain any chemicals listed as carcinogens or reproductive toxins.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
LIMESTONE 1317-65-3	Х	Х	Х
MAGNESIUM SILICATE 14807-96-6	Х	X	Х
COPPER 7440-50-8	Х	X	Х
GRAPHITE 7782-42-5	Х	X	Х

## U.S. State Right-to-Know Regulations

### U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

## WHMIS Hazard Class

Non-controlled

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA_	Health hazards 1	Flammability 1	Instability 0	-
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 28-Nov-2018

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet